Claims

## We claim:

1. A method for controlling a plant pathogen wherein said method comprises applying to said plant pathogen a pesticidally effective amount of a plant essential oil.

- 2. The method, according to claim 1, wherein said essential oil is from a plant selected from the group consisting of Palmarosa (*Cymbopogon martini*), tea tree (*Melaleuca alternifolia*), marjoram (*Thymus masiichina*), oregano (Origanum vulgure), lemongrass (*Cymbopogon flexuosus*), *Eucalyptus citriodora* and thyme (*Thymus vulgaris*).
  - 3. The method, according to claim 2, wherein said plant is palmarosa.
  - 4. The method, according to claim 3, wherein said essential oil is palmarosa oil.
  - 5. The method, according to claim 3, wherein said essential oil is geraniol.
  - 6. The method, according to claim 2, wherein said plant is thyme.
  - 7. The method, according to claim 6, wherein said essential oil is thymol.
- 8. The method, according to claim 1, wherein said essential oil is used to control a plant pathogen selected from the group consisting of *Penicillium* sp., *Botrytis* sp., *Monilinia* sp., *Alternaria* sp., *Aspergillus* sp., *Rhizopus* sp., *Sphaerotheca* sp., *Erisyphe* sp., *Uncinula* sp., *Podosphaera* sp., *Phytopthora* sp., *Pythium* sp., *Peronospora* sp., *Ralstoria* sp., Hemibasidiomycetes, nematodes, *Venturia* sp., *Cercospora* sp., *Pseudocercosporella* sp., *Cercospora* sp., *Cercosporidium* sp., *Fusarium* sp., *Ophiostoma* sp. and other wood staining fungi, *Diplodia* sp., *Erwinia* sp., *Pseudomonas* sp., and *Xanthomonas* sp.

1

2

1

2

3

4

1

1

1

1

1

2

7

S:\SH-APPS\UF-258CXC1.wpd/DNB/la

1	9. The method, according to claim 8, wherein said pathogen is Ralstoria
2	solenacearum.
1	10. The method, according to claim 9, wherein said Ralstoria solenacearum is
2	controlled using an agent selected from the group consisting of thyme essential oil, thymol,
3	palmarosa oil and geraniol.
	the second from the
1	11. The method, according to claim 8, wherein said pathogen is selected from the
2	group consisting of Fusarium oxysporum f. sp. lycopersici, Phytophthora capsici, Pythium
3	aphanidermatum, and Athelia rolfsii.
1 2	12. The method, according to claim 11, wherein said plant pathogen is controlled using an essential oil from a plant selected from the group consisting of wild marjoram,
3	palmarosa, and thyme.
1 2	13. The method, according to claim 1, wherein said essential oil is applied as a fumigant.
1	14. The method, according to claim 1, wherein the plant pathogen is a soil-borne
2	pathogen.
1	15. The method, according to claim 1, wherein tomatoes are protected from said
2	plant pathogen.
	΄ ΄
1	16. The method, according to claim 16, wherein said plant pathogen is Ralstoria
2	solenacearum.
106 5	
- /	

1

2

3

1

2

1	17. The method, according to claim 17, wherein tomatoes are protected against said
2	Ralstoria solenacearum by an essential oil from palmarosa or thyme.

- 7 18. A container which contains an essential plant oil and which has associated with said container directions for using said essential plant oil to control one or more plant pathogens.
- 19. A composition for the control of a plant pathogen wherein said composition comprises an essential oil and an agricultural carrier formulated for fumigation.